



NON-FRIABLE ASBESTOS SUBMITTAL CHECKLIST

Submittals must include the following:

- Completed Waste Manifest form.
- A letter from a licensed asbestos professional certifying that the material is non-friable and was removed in such a manner that it will arrive on site in a non-friable state.
- A laboratory test result indicating the level of asbestos in the material.

Send the submittal package to dramirez@mrwmd.org.

Fees:

Disposal of approved Non-Friable Asbestos will be charged the current Problem Waste rate. Please refer to the Disposal Fee schedule. Special handling service charges may apply.

Notes:

Non-Friable Asbestos loads that arrive at the District without an acceptance letter cannot be accepted and will be turned around.

Non-friable waste must be double wrapped and sealed in plastic of a minimum 6-mil thickness, or sealed containers (box, cartons, drums, or cans).

Due to the nature of the waste, loads must be scheduled at least 72 hours prior to arrival.

The District **does not** accept Friable Asbestos containing materials. Friable Asbestos is contained in material that can be reduced to a powder or dust under a force as little as hand pressure. These materials are regulated as a California Hazardous Waste and are ineligible for acceptance at the District’s landfill. Non-Friable Asbestos containing wastes and wastes containing less than 10,000 ppm (1%) Friable Asbestos are considered non-hazardous wastes.

Alternate disposal sites:

Class III Landfill	Class II Landfill	Class I Landfill
Johnson Canyon Sanitary Landfill (831) 675-2165	Altamont Landfill (925) 455-7300	Kettleman Hills Facility (800) 963-4776